

# 5月度スポコン内田プロチャレンジ

5/1

内田プロ作成!

46ft・23.72ml・対比2.02

FLEX

5/1 スポコン内田プロチャレンジ



Oil Pattern Distance	46	Reverse Brush Drop	25	Oil Per Board	40 ul
Forward Oil Total	14.12 mL	Reverse Oil Total	9.6 mL	Volume Oil Total	23.72 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	ICE

START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	14	74	0.0	1.9	2960
2	3L	3R	3	14	105	1.9	7.8	4200
3	5L	5R	2	18	62	7.8	12.9	2480
4	9L	9R	2	18	46	12.9	18.0	1840
5	10L	10R	1	22	21	18.0	21.1	840
6	12L	12R	2	22	34	21.1	27.3	1360
7	15L	15R	1	30	11	27.3	31.5	440
8	2L	2R	0	30	0	31.5	46.0	0


START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL	
1	2L	2R	0	30	0	46.0	29.0	-17.0	0
2	10L	10R	1	26	21	29.0	25.4	-3.6	840
3	8L	8R	1	22	25	25.4	22.3	-3.1	1000
4	6L	6R	2	18	58	22.3	17.2	-5.1	2320
5	4L	4R	3	14	99	17.2	11.3	-5.9	3960
6	2L	2R	1	14	37	11.3	9.4	-1.9	1480
7	2L	2R	0	14	0	9.4	0.0	-9.4	0

Cleaner Ratio Main Mix NA Forward  
 Cleaner Ratio Back End Mix NA Reverse  
 Cleaner Ratio Back End Distance NA Combined

Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle:Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.02	1.22	1.02	1.02	1.22	2.02



5/15

内田プロ作成!

38ft・22.68ml・対比3.0

FLEX

5/15 スポコン内田プロチャレンジ




Oil Pattern Distance	38	Reverse Brush Drop	38	Oil Per Board	40 ul
Forward Oil Total	14.92 mL	Reverse Oil Total	7.76 mL	Volume Oil Total	22.68 mL
Tank Configuration	A Only	Tank A Conditioner	ICE	Tank B Conditioner	ICE

START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	14	37	0.0	0.0	1480
2	3L	4R	2	14	68	0.0	3.9	2720
3	4L	5R	2	18	64	3.9	9.0	2560
4	5L	6R	2	18	60	9.0	14.1	2400
5	7L	6R	2	18	56	14.1	19.2	2240
6	9L	8R	2	22	48	19.2	25.4	1920
7	11L	9R	1	26	21	25.4	29.0	840
8	12L	10R	1	30	19	29.0	33.2	760
9	2L	2R	0	30	0	33.2	38.0	0

START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL	
1	2L	2R	0	30	0	38.0	29.0	-9.0	0
2	14L	14R	1	26	13	29.0	25.4	-3.6	520
3	11L	11R	1	22	19	25.4	22.3	-3.1	760
4	9L	9R	2	18	46	22.3	17.2	-5.1	1840
5	7L	7R	2	18	54	17.2	12.1	-5.1	2160
6	5L	5R	2	14	62	12.1	8.2	-3.9	2480
7	2L	2R	0	14	0	8.2	0.0	-8.2	0

Cleaner Ratio Main Mix NA Forward  
 Cleaner Ratio Back End Mix NA Reverse  
 Cleaner Ratio Back End Distance NA Combined

Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle:Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.69	1.22	1.01	1.01	1.14	3

